



# SAFETY DATA SHEET

## CAR CARE PRODUCT

### SECTION I. PRODUCT AND COMPANY IDENTIFICATION

Product name : Blue Silk Magic Tire Dressing  
Product code : 703

Manufacturer name : Detailer Stop  
Address : 6421 Woodman Ave, Van Nuys, CA 91401  
Telephone : (657)258-0210  
Emergency telephone : 24 hr. Emergency - 1-800-535-5053 (INFOTRAC)

### SECTION II. HAZARD(S) IDENTIFICATION

Classification of the Substance or Mixture:

- Aspiration Hazard; Category 1
- Eye and Skin Irritant; Category 2 /2A

#### GHS label element(s):



Signal Word: **DANGER**

Hazard Statement:

- May be fatal if swallowed and enters airways.
- Cause skin irritation
- Causes serious eye irritation

#### Precautionary Statements:

##### Prevention

- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Wear protective gloves and eye protection.
- Do not breathe dust/fumes/gas/mist/vapors/spray.



# SAFETY DATA SHEET

## CAR CARE PRODUCT

### Response

- a. If SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.
- b. If ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical attention.
- c. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
- d. If INHALED: Remove victim to fresh air and keep at rest in comfortable position for breathing. If feel unwell: Get immediate medical attention

### Storage

- a. Keep container closed and away from children. Store in a cool and safe place, away from open flame or heat.

### Disposal

- a. Dispose of contents/container in accordance with local, state and federal regulations.

HMIS Classification:	Health Hazard:	1
	Flammability:	1
	Physical Hazards:	0
NFPA Rating:	Health Hazard:	1
	Fire:	1
	Reactivity Hazard:	0

### **SECTION III. COMPOSITION / INFORMATION ON INGREDIENTS:**

Substance : Mixture

Product Description : Tire Dressing

<u>Chemical Name</u>	<u>CAS Number</u>	<u>% IN PRODUCT</u>
Petroleum Distillates	64742-47-8	60 – 72
Hydrotreated Light Odorless Mineral Spirits	64741-65-7	<3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentration applicable, are classified as hazardous to health or the environment and hence require reporting in this section.



# SAFETY DATA SHEET

## CAR CARE PRODUCT

Occupational exposure limits, if available, are listed in Section 8.

### SECTION IV. FIRST AID MEASURES

#### Description of necessary first aid measures:

- If Inhaled:** Move person into fresh air. If not breathing, give artificial respiration. Consult a physician if symptoms are experienced.
- Skin Contact:** Flush skin with plenty of water. Remove contaminated clothing and shoes. If irritation persists, get immediate emergency medical attention
- Eye contact:** Flush eyes cautiously with plenty of water for at least 15 minutes. Remove contact lenses if able to do so and present. Get immediate emergency medical attention.
- If Ingested:** Do NOT induce vomiting unless instructed to do so by a physician. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### Most important symptoms/effects, acute and delayed

- a. Potential acute health effects
- If Inhaled:** Fine mist may cause irritation of the nose and throat.
- Skin Contact:** Any contact can cause moderate irritation.
- Eye contact:** Can cause severe irritation, redness, tearing, and blurred vision.
- If Ingested:** Gastrointestinal irritation.
- b. Over-exposure signs/symptoms
- If Inhaled:** Adverse symptoms may include the following: Irritation
- Skin Contact:** Adverse symptoms may include the following: No significant effect
- Eye contact:** Adverse symptoms may include the following: Irritation
- If Ingested:** Adverse symptoms may include the following:
- c. Indication if immediate medical attention and special treatment needed, if necessary:
- Notes to physician** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** No specific treatment
- Protection of first-aiders** No action should be taken involving any personal risk or without suitable training. Wash contaminated



# SAFETY DATA SHEET

## CAR CARE PRODUCT

clothing thoroughly with water before removing it.

### SECTION V. FIREFIGHTING MEASURES

#### Extinguishing Media

##### **Suitable extinguishing media**

Regular Foam, Waterfog, Carbon Dioxide, or Dry Chemicals

##### **Unsuitable extinguishing media**

None known

##### **Specific hazards arising from the chemical**

In a fire or if heated, a pressure increase will occur and the container may burst.

#### **Hazardous thermal decomposition products**

##### **Special protective actions for firefighters**

If there is a fire, promptly isolate the scene by removing all persons from the vicinity of the incident.

##### **Special protective equipment for firefighters**

Firefighters should wear appropriate equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

##### **Hazardous Decomposition:**

Oxides of carbon or traces of hydrocarbons may be formed in small amounts.

##### **Special Fire Fighting Procedures:**

Clear fire area of personnel. Do not enter confined fire area without full bunker gear and positive pressure breathing apparatus.

##### **Unusual Fire / Explosion Hazards:**

May ignite with ignition sources.

### SECTION VI. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flares in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.



## SAFETY DATA SHEET

### CAR CARE PRODUCT

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in for *“For non-emergency personnel”*.

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### **Methods and materials for containment and cleaning up**

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Use spark-proof tools and explosion-proof equipment. Dispose via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use spark-proof and explosion-proof equipment. Dispose via a licensed waste contractor. Contaminated absorbent material may pose the same hazard.

Use gloves, goggles, boots and breathing mask. Small amounts do not need special measures. Clean up with water. For large spills remove all sources of ignition. Ventilate area. Absorb with an inert absorbent material. Avoid runoff into drains and sewers. All used and unused product should be disposed of in conformance with local, state and federal regulations.

### **SECTION VII. HANDLING AND STORAGE**

Precautions for safe handling: Put on appropriate protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternate made from compatible material, keep tightly closed when not in use. Store and use away from heat,



# SAFETY DATA SHEET

## CAR CARE PRODUCT

sparks, open flame or any other ignition source. Do not reuse container. Wash thoroughly after use.

Conditions for safe storage: Store in original container protected from direct sunlight in dry , cool and well ventilated area, away from incompatible material (see Section 10) and food and drink. Do not store in unlabeled.

Store materials tightly closed and away from sunlight, warm confined spaces, heat and open flame. Never weld on or near containers either empty or full. Secure all chemicals out of the reach of children.

### SECTION VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control Parameters

#### Occupational exposure limits

<u>Ingredient Name</u>	<u>CAS Number</u>	<u>PEL/OSHA</u>	<u>TLV-ACGIH</u>
Petroleum Distillates ( <a href="#">VP=0.01mmHG@20C</a> ) - Biodegradable	64742-47-8	525 mg/m3	100mg/m3
Odorless Mineral Spirits	64741-65-7	500 ppm	
Polydimethylsiloxane – Biodegradable	63148-62-9	Not Established	Not Established

Appropriate engineering controls: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Individual protection measures

Hygiene Measures: Wash hands forearms and face thoroughly after handling chemical products.

Eye/Face protection: Wear chemical safety goggles and face shield.

Skin protection: Avoid skin contact. Wear gloves impervious to conditions of use.

Respiratory protection: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

### SECTION IX. PHYSICAL AND CHEMICAL PROPERTIES



# SAFETY DATA SHEET

## CAR CARE PRODUCT

Physical State:	Liquid	Specific Gravity:	0.77
Color	Blue	Vapor Pressure:	<0.05 mm Hg
Odor:	Black Cherry	Volatiles:	>72%
pH	7-8	Vapor Density:	>4.9
Boiling Point:	464°F	Solubility:	Insoluble in Water
Flash Point:	<205°F	Evaporation Rate:	<0.01

Volatile Organic Compound (VOC) content for Consumer Products Applications Percent by weight: <3.0%

### **SECTION X. STABILITY AND REACTIVITY**

Reactivity: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability: The product is stable under recommended storage conditions.

Possibility of hazardous reactions: Under normal conditions of storage or use, hazardous reactions will not occur.

Conditions of instability: Sparks, open flame, other ignition condition sources, and elevated temperatures. When exposed to high temperatures colors may fade and bottles may panel.

Materials to avoid: Strong Oxidizing Agents

Hazardous decomposition products: Under fire conditions: Carbon Oxides.

### **SECTION XI. TOXICOLOGICAL INFORMATION**

#### **Information on toxicological effects**

Acute Toxicity:

Component	CAS Number	Test	Toxicity
Petroleum Distillates, Hydrotreated Light	64742-47-8	Oral LD50 (Rat)	>5000 mg / kg
		Dermal LD50 (Rabbit)	>2000 mg / kg
		Inhalation LC50 (Rat)	>0.5 mg / L

#### **Potential Health Effects**

Inhalation : Inhalation can cause irritation to the respiratory tract. Acoid exposure to vapors.

Skin : Can cause irritation and drying of skin

Eyes : Contact can cause eye irritation. Avoid contact.



## SAFETY DATA SHEET

### CAR CARE PRODUCT

Ingestion : May be harmful if swallowed. Aspiration in the lungs may occur during ingestion or vomiting, causing lung damage or chemical pneumonia.

Sensitization: Not determined  
Mutagenicity: Not determined  
Carcinogenicity: Not determined  
Reproductive Toxicity: Not determined  
Teratogenicity: Not determined  
Specific target organ toxicity (single exposure): Not determined  
Specific target organ toxicity (repeated exposure): Not determined  
Information of likely routes of entry: Skin, Eyes, Mouth and Inhalation

#### Delayed and immediate effects and also chronic effects from short and long term exposure

##### Short Term Exposure

Potential immediate effects: Not available  
Potential delayed effects: Not available

##### Long Term Exposure

Potential immediate effects: Not available  
Potential delayed effects: Not available

##### Potential Chronic Health Effects

General: No known significant effects or critical hazards.  
Carcinogenicity: No known significant effects or critical hazards.  
Mutagenicity: No known significant effects or critical hazards.  
Teragenicity: No known significant effects or critical hazards.  
Developmental effects: No known significant effects or critical hazards.  
Fertility Effects: No known significant effects or critical hazards.

## **SECTION XII. ECOLOGICAL INFORMATION**

Ecotoxicity: Not available  
Persistence and degradability: Readily Biodegradable  
Bioaccumulative potential: Not available  
Mobility in soil:  
(soil/water) partition coefficient (Koc): Not available  
Other adverse effects: This product may be harmful to the environment and aquatic organisms if released in large quantities. Avoid release into sewers, drains, and other





# SAFETY DATA SHEET

## CAR CARE PRODUCT

waterways. Inform the relevant authorities if the product has caused environmental pollution. Collect spills.

### **SECTION XIII. DISPOSAL CONSIDERATIONS**

Disposal Methods: The generations of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incinerations or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drain and sewers. See Section 8 for information on appropriate personal protective equipment.

### **SECTION XIV. TRANSPORT INFORMATION**

Special precautions for user: This product is NOT regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

### **SECTION XV. REGULATORY INFORMATION**

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	Not listed
Clean Air Act Section 602 Class I Substances	Not listed
Clean Air Act Section 602 Class II Substances	Not listed
DEA List I Chemicals (Precursor Chemicals)	Not listed
DEA List II Chemicals (Essential Chemicals)	Not listed
SARA 302/3043/311/312 extremely hazardous substances	Not applicable
SARA 302/304 emergency planning and notification	Not applicable
SARA 302/304/311/312 hazardous chemicals	No products were found

### **SECTION XVI. OTHER INFORMATION**

Hazardous Material Information System II (U.S.A.):



# SAFETY DATA SHEET

## CAR CARE PRODUCT

<b>HEALTH</b>	<b>1</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>REACTIVITY</b>	<b>0</b>
<b>P.P.E. (Personal Protection Equipment)</b>	<b>G</b>

**Caution:**HMIS<sup>®</sup> ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS<sup>®</sup> ratings are not required on MSDSs under CFR 1910.1200, the preparer may choose to provide them. HMIS<sup>®</sup> ratings are to be used with a fully implemented HMIS<sup>®</sup> program. HMIS<sup>®</sup> registered mark of the National Paint & Coatings Association (NPCA). HMIS<sup>®</sup> materials may be purchased exclusively from J.J.Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

Full text of abbreviated H statements : Not applicable

### History

Date of printing : 08/01/2020  
Date of issue/Date of revision : 08/01/2020  
Date of previous issue : 08/01/2020  
Version : 1.0  
Prepared by : KJG  
References : OSHA 1910.1200 / GHS / UN / Internal Data

### Disclaimer of Liability:

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product.